

REFERRAL FILE SERVICE: CONTENTS CHECKLIST FOR COMPONENT REFERENCE FILE

LEFT SIDE

1. COMPONENT PROFILE
 - a. CP Summary Card
 - b. Data Element Collection Sheet
2. Documentation
 - a. Organizational Chart
 - b. Reading Requirements
 - c. Analysts and Assignments
 - d. Filing Guide
 - e. CGS Requirements
 - f. Other:

RIGHT SIDE

1. FILE PROFILES
 - a. FP Summary Cards
 - b. Data Element Collection Sheets
2. Analysis of Documentation (to be done as needed)
 - a. Mission and Responsibilities -- Index
 - b. Reading Requirements -- Index
 - c. Analyst Assignments -- Index
 - d. Raw/Annotated Indices to Files
 - e. Other:

ANNEX 5:
COMPONENT REFERENCE FILE (CRF):
CONTENTS CHECKLIST

S-E-C-R-E-T

CIA INTERNAL USE ONLY

10

PROJECT CHIVE

REFERRAL FILE SERVICE (RFS):

SYSTEM DESIGN

by

25X1A

CHIVE/W-14-67
15 May 1967

CENTRAL INTELLIGENCE AGENCY

DIRECTORATE OF INTELLIGENCE
OFFICE OF CENTRAL REFERENCE

DIRECTORATE OF SCIENCE AND TECHNOLOGY
OFFICE OF COMPUTER SERVICES

S-E-C-R-E-T

GROUP 1
Excluded from automatic
downgrading and
declassification

S-E-C-R-E-T
CIA INTERNAL USE ONLY

REFERRAL FILE SERVICE (RFS):
SYSTEM DESIGN

BY



25X1A

CHIVE/W-14-67
15 May 1967

S-E-C-R-E-T
CIA INTERNAL USE ONLY

GROUP I
Excluded from automatic
downgrading and
declassification

S-E-C-R-E-T
CIA INTERNAL USE ONLY

TABLE OF CONTENTS

	<u>Page</u>
I. Introduction	1
II. Information Base for Referrals	2
III. Component Support for a Referral Service	4
IV. Data Base for Design Elements	5
V. Design Elements	6
Component Profile (CP)	6
File Profile (FP)	6
Subject Index	6
Component Reference File (CRF)	8
VI. Maintenance	8
VII. Searching and Query Procedures	9
VIII. Response and Control Procedures	11

ANNEXES:

1. Component Profile: Data Element Collection Sheet
2. File Profile: Data Element Collection Sheet
3. Component Profile Form (CP)
4. File Profile Form (FP)
5. Contents Checklist for Component Reference File (CRF)

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

CHIVE/W-14-67
15 May 1967

Reference: CHIVE/T-1-67
15 Feb. 1967

REFERRAL FILE SERVICE (RFS):

SYSTEM DESIGN

I. Introduction

Project CHIVE's immediate design objective in undertaking the establishment of a referral service is to develop access to specialized files and to knowledgeable analysts wherever they are found, and so to support central reference services in making optimum use of Agency resources, beginning with Communist China.

In the referral process as it now operates, an information seeker is passed informally from hand to hand until he finds himself in the right hands to service his inquiry. The process provides the incidental benefit of maintaining a broad awareness of what is going on and of what can be undertaken. The casual and time-consuming nature of the process can be eliminated, however, by offering direct referral to requesters, basing the service on adequate indices of files and analyst resources. A three-way referral transaction is envisaged, in which an OCR information analyst will have the information at hand with which to refer a requester, in most cases, directly to the person who can actually help him. At the same time, the directory (bound) or file (unbound) that will be produced to support this service need not be so specialized that only trained information analysts can use it.

The initial China package on CIA resources will be a set of aids maintained in both published and file form. A subject index will direct the user to summaries of relevant information on a) file-holding components and b) their respective files. The file medium for these

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 2 -

summaries will take the form of some 300 to 400 5 x 8-inch data summaries. The subject index will avoid the problem of vocabulary control initially by reliance on terminology provided by components. When the outline of a common vocabulary emerges from collation of such terminology, the elimination of unnecessary vocabulary will become practical.

The ability to handle queries against CIA resources for Communist China is the first design goal of the system. Beyond that point further development will: a) proceed toward worldwide coverage and b) utilize the potential of a computer-based file. Future consideration should be given to broadening the data base as well as the range of services of the system. However, the amount of effort that should be directed to these areas will depend on user acceptance and on the efficacy of the initial system.

II. Information Base for Referrals

25X1A

About [redacted] components in CIA control accessible files of substantive importance on Communist China. These files are probably located in about [redacted] branches and sections. Total holdings of reference materials--raw documents, data files, translations, open shelf holdings, and special collections--can be classified into probably [redacted] files (see Figure 1). A total of about [redacted] people maintain and use these files (excluding persons in DDP and DDS). Of that number about [redacted] appear to devote most of their time to Communist China. A number of analysts also cultivate rare specialties and hobbies which constitute a resource unrelated to files and to component missions.

25X1A

25X1A

25X1A

25X1A

Files vary radically in size, activity rate, quality, time-frames, consistency in filing procedures, reliability of retrieval, and ease of access. Most "analyst files"--those maintained by individuals from memory and worked by browsing--can be described as subfiles of overall branch holdings. Collection of standardized

S-E-C-R-E-T
CIA INTERNAL USE ONLY

25X1A

Approved For Release 2000/05/08 : CIA-RDP78-03952A000100100001-1

Approved For Release 2000/05/08 : CIA-RDP78-03952A000100100001-1

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 4 -

information on this variety of holdings should be facilitated by the definition of a file adopted for RFS purposes. This definition states that a file is any logical or potentially logical first-order subdivision of a component's total reference holdings.

25X1A

The [REDACTED] component-held files on Communist China probably include [REDACTED] principal raw document files of relatively large magnitude or of well-controlled small magnitude. Probably an equal number of more specialized documentary files exist, a number of data files (many obsolescent), several outstanding collections of open-shelf holdings (translations, reference books, rarities), and undoubtedly a few surprises. In addition to any data files, each component probably averages four to five generalized files of the above types.

25X1A

Much of the documentary trove in the above types of files lacks filing keys. This situation is tolerable because most analysts do their own filing without assistance from the clerical force.

Many components have well-ordered functionally-arranged holdings, in which only a few folders may apply to China. These may require only partial profiling now. Early study of the overall structure and contents of such files, however, will be valuable in anticipation of later extension of RFS coverage.

III. Component Support for a Referral Service

Members of the OCR User Study Group and staff officers at various echelons in CIA will be approached for assistance in the swift and orderly dissemination and collection of questionnaires for component and file profiles. Visits to all components may not be necessary.

Some components may be initially apprehensive over possible increases in workloads resulting from referrals. Others will suspect that they are in the process of being made accountable to OCR for the state and content of their files, just as they are somewhat accountable to Records Management for the size of their files. When

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 5 -

these reservations are dispelled, many components will probably find in the RFS project an incentive to improve the structures, accessibility, and reliability of their files. Components will be furnished assistance in file improvement if they request it.

OCR users of the RFS Directory/File will need to match resources to requester needs at varying levels of substantive sophistication and urgency, if the service is to rise above a mere "1:1" process of mechanical matching of requests to files. It will often be inadvisable to refer all requesters to the same "best possible" sources of information. Multiple resources will be needed for subjects of relatively common interest if resource component goodwill is to be retained.

IV. Data Base for Design Elements

To facilitate preparation of data summaries on components and files, a pair of dual-purpose questionnaire/data-assembly forms have been prepared for data collection, collation, and filing. These "Data Element Collection Sheets" are appended to this paper.

For component descriptions, information sought covers supervisory control and relationships, access, specialization, service policy, analyst identification, and file identification.

For file descriptions, information sought for each file covers responsible analysts, basic physical characteristics, brief narrative descriptions, and selected key terminology for quick reference and indexing.

Back-up information sources include:

- a. China Task Force, "Intelligence Organizations and Specialists Employed Against Communist China;"
- b. various lists, guides, and keys to personnel resources as supplied by offices and divisions;
- c. reading requirements levied against OCR; and
- d. collection requirements levied against CGS.

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 6 -

For indexing, the data base will be the terminology appearing in component and file profiles themselves, backed up by terminology selected from file keys and requirements lists. Follow-up telephone calls and visits may be necessary. In a few cases OCR personnel may be welcomed into the branches to compile file keys directly.

V. Design Elements

Component Profile (CP)

The "Component Profile" is a 5 x 8-inch summary of data on a single file-holding component. It will carry in abbreviated form the content of a 2-page "Data Element Collection Sheet" submitted by the component or, if need be, prepared within OCR. For file use the CP will be reproduced on a standard form printed on the bottom half of an 8 x 10-inch sheet of quality paper, and then folded to 5 x 8-inch size. This will leave the upper half of the sheet available for later OCR use--collection of referral experience, display of codified terminology, recording of processing data, and the like. For the directory, these profiles can be reproduced 2 or 3 to a page.

File Profile (FP)

For every file identified on a CP card a separate FP will be prepared on a single 5 x 8-inch card of standard printed format. It will contain in abbreviated form the content of a 1-page "Data Element Collection Sheet" on which file holders will have submitted data. In the bound directory, File Profiles will follow the applicable component Profile, serially according to the OCR Requester Organization (R.O.) Code. In file use, the profiles can be kept in serial order or rearranged at user option.

Subject Index

Indexed terms will lead the user directly to a unique file number. The file number will be that of the OCR Requester Organization Code, with two digits added

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 7 -

to the component number to identify files. An imaginary example is as follows:

Sociology	901234.04	1
Supervision	123456.01	2
Suspenders	098765.02	3
Swivels (guns)	345678.01	4
Swivels (prod engnrng)	876543.01	5

The final digit is an experimental annotation describing the quality of coverage offered for each topic by the component. A suggested annotation scheme was included in the instructions to the file profile data sheet, in the hope that it might be acceptable to reporting components and workable in RFS practice.

The annotation scheme is as follows:

- 1 Adequate for primary referral
- 2 Adequate for secondary referral
- 3 Special interest
- 4 Historical value only
- 5 Marginal

The index cards to be prepared for this index will contain many unused columns which can be reserved for later use.

Index size, if excessive, poses a hazard to user acceptance of the file/directory. The various sources of file information listed above will provide a select and adequately specific vocabulary for each component that need average, perhaps, no more than 60 terms each. Much more vocabulary will be available in the Component Reference File (see below). On the basis of 60 words each, about 5,000 words for indexing will emerge from profiling of about 80 components. Specificity will be such that no more than one additional telephone call should be needed to reach the required level. Redundancy will be minimal and volume acceptable.

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 8 -

Component Reference File (CRF)

A dossier-type file, the CRF, will back up the data summaries accumulated in the directory/file. This will house the data sheets on which the summaries will have been based, as well as all backup information. It will serve for reference use by OCR information analysts when data summaries are inadequate. It will also be the basis for research and maintenance directed toward improvement and updating of the directory/file.

VI. Maintenance

Each data sheet and data summary card contains space for indicating the state of maintenance, according to whatever time schedule may finally be appropriate.

The basic maintenance tool will be the OCR requester organization code. This number is to appear on every data summary and Data Element Collection Sheet, on every item filed, on every index entry, and attached to every organizational cross-reference.

Maintenance will be accomplished by the following methods:

A. Piecemeal Maintenance

1. Voluntary submission of new information by resource components
2. Discovery by information analysts of errors, followed by call for revision of data
3. RFS alertness to organizational changes and to analyst reassignments as they are reported through channels

B. Systematic Maintenance

Periodic resubmission of data sheets and some file materials to components for revision and updating.

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 9 -

The initial revision procedure will probably be the following:

- A. Removal of obsolete material, insertion of new in CRF
- B. Preparation of revised data sheets by manual methods
- C. Manual correction and reissuance of data summaries
- D. Machine retrieval of index records for elimination, correction, and updating

For administrative control of the maintenance process, an annotated copy of the Requester Organization Code will probably be sufficient.

VII. Searching and Query Procedures

The sequence of steps in OCR in response to inquiry against the RFS could be as many as seven:

1. Acceptance of request and entry on RFS Report/Evaluation Form (A special form is planned; see VIII below)
2. Information search in directory/file and in CRF
3. Resource component contact, if needed
4. Security, control, or liaison officer contact, if needed
5. Direction of requester to proper analyst or component for assistance
6. Dispatch of copies of completed RFS report/evaluation form to specified addresses
7. Receipt from requester of report/evaluation form and transmission to proper point within OCR


S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 10 -

The long route of specific search leads via (1) the index to (2) a file profile, thence to (3) a component profile for check of working circumstances, followed by (4) referral itself. The shortest route of generalized search leads via (1) the OCR Requester Organization (R.O.) Code number of a known component to (2) either component or file profiles, followed by (3) referral. Some users may tend to make general referrals via casual component contact rather than attempt to use the index. (Obviously, all users should exploit the index to the point that they can issue calls for its improvement, along lines suggested by working experience, until a reliably machinable instrument is developed.)

The following are the alternative paths of query:



S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 11 -

VIII. Response and Control Procedures

A multi-purpose request/report/evaluation form in multiple copies, modeled generally on the OCR Library Form 1395, will hold together the elements of the transaction and will facilitate feedback. Direct reporting on referrals to the RFS control officer immediately after completion of the transaction is desirable. Passage of an evaluated report form from the requester back to the information analyst, and from the information analyst to the RFS control officer, is also desirable. The report form should be so designed that it will function as an "early warning system" to detect deterioration in the referral service itself, changing market needs, overuse of RFS attributable to unrecognized trouble elsewhere in the central reference system, and design weaknesses.

No report and evaluation form has yet been designed, but the desirable data elements can be tentatively listed as follows:

Referral File Service Report Form

1. Copies: 1 to requester for retention
2 to requester for evaluation and return to OCR
3 to resource component for retention
4 to RFS control officer
5 to record
2. Header Information: Date, request number, time request received, time request answered, classification, special controls
3. Request: Name, extension, and location of requester; component; statement of query; background information volunteered; other suggestions to RFS
4. OCR Response: Individuals or components to which referred, with phones, locations; files, services, information, and facilities available to requester; contact instructions if any

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 12 -

5. Evaluation of Service (by requester):

Did you need: primary source, secondary source,
information checkout, precautionary
search, other

How urgent was your need: priority/routine/
deferrable

How useful was RFS service: timeliness/understanding
of the request/adequacy of results/
comments

6. OCR Comment:

Usually this form will be filled out in CHIVE. Requesters will be sent two copies and encouraged to return one copy with their evaluation of the service received (section 5). They may also use the form to initiate a request by filling out section 3.

Initially, all referrals should be monitored. Later, reliable sampling procedures should be initiated. The RFS control officer should receive the evaluated report forms returned by the requesters through the individual who serviced the request.

In his review, the control officer should consider whether:

- (1) new trends in requester needs have appeared or have become more evident;
- (2) requesters felt needs were satisfied;
- (3) requester's actual needs were actually satisfied;
- (4) referral was a hardship on anyone for any reason;
- (5) use of the service was properly coordinated with use of other CHIVE and OCR systems;
- (6) any part of the activity that took place after referral, if known, could have been incorporated into the OCR-guided referral transaction itself;

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
CIA INTERNAL USE ONLY

- 13 -

- (7) any new information suitable for addition to the RFS or CHIVE systems has appeared;
- (8) any new problems in satisfying future referral requests can be anticipated;
- (9) new resources for referral duly noted.

S-E-C-R-E-T
CIA INTERNAL USE ONLY

S-E-C-R-E-T
(WHEN FILLED IN)

OCR/CHIVE REFERRAL FILE SERVICE (RFS)

COMPONENT PROFILE: DATA ELEMENT COLLECTION SHEET

INSTRUCTIONS: (1) THIS DATA ELEMENT COLLECTION SHEET WILL BE THE DATA BASE FOR AN INFORMATION SUMMARY IN 5X8-INCH FORM. PLEASE COUCH ANSWERS IN A FORM THAT WILL ASSIST AN OCR INFORMATION ANALYST TO UNDERSTAND YOUR COMPONENT'S PROBLEMS IN SERVICING REQUESTERS WHO MIGHT BE REFERRED TO YOU BY THIS MEANS. (2) IF THIS SHEET HAS BEEN SUBMITTED TO YOU IN PARTIALLY COMPLETED FORM, PLEASE EDIT, CORRECT, AND COMPLETE IT IN A FORM THAT PROVIDES A SATISFACTORY PROFILE OF YOUR COMPONENT AS YOU VIEW IT. (3) DUPLICATE FORMS CAN BE USED FOR RE-TYPING OF DRAFTS. (4) IF CERTAIN QUERIES ARE UNUSUALLY DIFFICULT TO ANSWER, THEY MAY BE SPECIFICALLY INAPPLICABLE TO YOUR COMPONENT. IF SO, PLEASE ANSWER "N.A." (5) CODE NUMBERS (SEE 1E, 4A) ARE THOSE OF THE NEW OCR REQUESTER ORGANIZATION CODE, A 6-DIGIT CODE, AND WILL BE ADDED BY OCR. THIS CODE IS EXPANDIBLE AND WILL PROVIDE UNIQUE NUMERICAL DESIGNATORS FOR EACH FILE OF EACH COMPONENT. (6) PLEASE ADDRESS IN-QUIRIES FOR ASSISTANCE OR FOR FURTHER INFORMATION TO THE OCR/CHIVE REFERRAL FILE SERVICE TASK TEAM [REDACTED] ROOM 2G40 HEADQUARTERS, X6604.

25X1A

1. ORGANIZATION

- 1A COMPONENT NAME, ABBREVIATION
- 1B ROOM NUMBER, BUILDING
- 1C SUPERVISOR
- 1D PHONE NUMBERS ((BLACK), (RED), (GREY), (GREEN)
- 1E SUBORDINATE UNITS (E.G., BRANCHES OF A DIVISION), CODE NOS.

2. SPECIALIZATION

- 2A REGIONAL
- 2B FUNCTIONAL
- 2C RESPONSIBILITIES AND PRIORITIES
- 2D PUBLICATIONS (TYPES, SERIES; NOT REPORT TITLES)
- 2E OVERLAPS WITH OTHER COMPONENTS (= IDENTIFICATION OF RELATED SUBSTANTIVE INTERESTS):
 - (1) RELATED TO PROFESSIONAL SPECIALIZATION (E.G., ENGINEERING):
 - (2) RELATED TO INTELLIGENCE MISSION (E.G., MILITARY ENGINEERING IN CHINA):

CODE NO:

S-E-C-R-E-T
(WHEN FILLED IN)

S-E-C-R-E-T
(WHEN FILLED IN)

COMPONENT PROFILE: DATA ELEMENT COLLECTION SHEET (2)

3. GUIDANCE FOR REFERRAL USE

3A SERVICE POLICY AND SERVICE PRIORITIES AS THEY RELATE TO
OTHER THAN PRINCIPAL CUSTOMERS

3B INTERNAL DIVISION OF REGIONAL OR FUNCTIONAL RESPONSIBILITIES
BETWEEN INDIVIDUAL ANALYSTS, WITH THEIR NAMES AND PHONE NOS.

3C OTHER PERSONS WITH INDEPENDENT FILE ACCESS

4. FILES (= FIRST-ORDER SUBDIVISIONS OF ALL DOCUMENTARY REFERENCE
HOLDINGS, CHIEFLY DOCUMENTS, SPECIAL DATA FILES, TRANSLATIONS,
PAMPHLETS, BOOKS AND PERIODICALS. TREAT SINGLE-DRAWER OR DOUBLE-
DRAWER ANALYST FILES AS "SUBFILES" OF THE COMPONENT DOCUMENTARY
FILE UNLESS PHYSICAL OR LOGICAL FEATURES MAKE THEM UNIQUE.)

4A LIST FILES BY "NAME" WITH CODE NUMBER

4B ATTACH FILE-FOLDER-HEADING LIST OR OTHER KEY TO FILES, WITH
NAMES OF ANALYSTS RESPONSIBLE FOR EACH FILE OR SUBFILE.
(IF NO LIST OR KEY EXISTS, THE RFS TASK TEAM WILL ASSIST
YOU IN PREPARING ONE.)

5. COMPONENT PROFILE MAINTENANCE DATA:

5A VALIDITY DATE FOR THIS DATA SHEET
5B SCHEDULED REVIEW DATE
5C COMMENT

CODE NO:

S-E-C-R-E-T
(WHEN FILLED IN)

ANNEX 1:
COMPONENT PROFILE:
DATA ELEMENT COLLECTION SHEET

Approved For Release 2000/05/08 : CIA-RDP78-03952A000100100001-1

. OCR/CHIVE REFERRAL FILE SERVICE (RFS)

FILE PROFILE: DATA ELEMENT COLLECTION SHEET

INSTRUCTIONS: (1) A 5X8-IN. INFORMATION SUMMARY, THE "FILE PROFILE," WILL BE PREPARED FROM THIS DATA SHEET FOR EACH FILE IDENTIFIED ON THE "COMPONENT PROFILE." (2) IF A DESK-DRAWER FILE IS A UNIQUE PART OF COMPONENT HOLDINGS SOLELY BECAUSE OF SUBJECT MATTER, PLEASE IDENTIFY IT AS A SUBFILE OF THE PRINCIPAL DOCUMENTARY FILE. (3) INDICES TO FILE RESOURCES WILL, SO FAR AS POSSIBLE, UTILIZE TERMINOLOGY OF THE HOLDERS AS FURNISHED IN THIS DATA SHEET AND IN FILE KEYS (QUESTION 3E). (4) VOLUNTARY ANNOTATION OF FILE KEYS WOULD BE HELPFUL. THE FOLLOWING CHECK-LIST IS SUGGESTIVE OF EVALUATIONS THAT WOULD HELP SUPPORT EFFECTIVE REFERRAL SERVICE: 1 ADEQUATE FOR PRIMARY REFERRAL 2 ADEQUATE FOR SECONDARY REFERRAL 3 SPECIAL INTEREST (NOTE WHY) 4 HISTORICAL VALUE 5 MARGINAL.

Approved For Release 2000/05/08 : CIA-RDP78-03952A000100100001-1

S-E-C-R-E-T
(WHEN FILLED IN)

OCR/CHIVE REFERRAL FILE SERVICE (RFS)

FILE PROFILE: DATA ELEMENT COLLECTION SHEET

1. IDENTIFICATION AND USE

1A NAME OF FILE (APPEND NAMES OF SUBFILES, IF ANY)

1B LOCATION, PHONE NOS. (BLACK, RED, GREY, GREEN)

1C KEY ANALYST(S)

1D ACTIVITY LEVEL: ☐ REGULAR ☐ IRREGULAR ☐ OTHER
1E USE RESTRICTIONS

2. PHYSICAL CHARACTERISTICS

2A TYPE ☐ DOCUMENTS ☐ DATA (I.E., TRANSCRIBED TO STANDARD FORM)

2B SIZE ☐ UNDER 2 FT³ ☐ 2 TO 8 FT³ ☐ OVER 8 FT³

2C UNIT RECORD: ☐ FILE FOLDER ☐ 5X8 IN.
☐ PAMPHLET FILE ☐ IBM CARD ☐ SHELF, BOOKCASE
☐ OTHER. (IF SO, PLEASE DESCRIBE.)

3. CONTENT AND COVERAGE

3A TIMEFRAME

3B GENERAL NATURE

3C SPECIALIZED OVERALL FEATURES, UNIQUE CONTENT FEATURES (E.G.,
RARE MATERIAL ON SPECIFIC SUBJECT OF INFREQUENT INTEREST)

3D GAPS; OTHER CAUTIONARY INFORMATION

3E IS FILE KEY OR OTHER FILING/RETRIEVAL
AID BEING FURNISHED? IF NOT, CAN
SUCH A KEY BE PREPARED?

4. TERMINOLOGY

4A SELECTED TERMS FOR QUICK USER REFERENCE (OCR WILL EDIT;
ADD TERMS NOT PREVIOUSLY USED, IF NOT FOUND IN FILE KEY, AND
IF THEY WOULD FACILITATE REFERRAL TO VALUABLE HOLDINGS)

4B (OCR USE)

5. FILE PROFILE MAINTENANCE DATA:

5A VALIDITY DATE
5B SCHEDULED REVIEW DATE
5C COMMENT

S-E-C-R-E-T
(WHEN FILLED IN)

CODE NO:

Approved For Release 2000/05/08 : CIA-RDP78-03952A000100100001-1

ANNEX 2:
FILE PROFILE:
DATA ELEMENT COLLECTION SHEET

Approved For Release 2000/05/08 : CIA-RDP78-03952A000100100001-1

Approved For Release 2000/05/08 : CIA-RDP78-03952A000100100001-1

RFS: COMPONENT PROFILE	UNCLASSIFIED	CONFIDENTIAL	SECRET	T.S.	CW	DONE BY	CODE NUMBER	
1AB	ORGANIZATION: NAME/ABBREV./RM. NO./BLDG.					1E SUBORDINATE UNITS/CODES		
1CD	SUPERVISOR/PHONE NOS. --BLK,RED,GREY,GREEN							
2AB	SPECIALIZATION: REGIONAL/FUNCTIONAL							
2C	RESPONSIBILITIES/PRIORITIES							
2D	PUBLICATIONS: TYPES/SERIES							
2E	OVERLAPS: PROFESSIONAL INTERESTS/INTELLIGENCE MISSION							
3A	REFERRAL GUIDANCE: SERVICE POLICY/PRIORITIES							
3B	ANALYSTS: RESPONSIBILITIES/NAMES/PHONE NOS.					4A FILES: NAME/CODE NO.		
3C	OTHER PERSONS WITH FILE ACCESS							
5A	VALIDITY DATE	5B	REVIEW DATE	5C				COMMENT

ANNEX 3:
COMPONENT PROFILE

Approved For Release 2000/05/08 : CIA-RDP78-03952A000100100001-1